

I'm not robot  reCAPTCHA

[Continue](#)

Honeywell alarm system manual pdf free printable word



+ "#" command listed in column heading. A... 2: Entry Delay 2 Part. Page 43 Trouble Conditions (cont'd) Words or letters in parentheses () are those that are displayed on Fixed-Word Display keypads. The sounder also "beeps" during certain system functions and also when depressing any of the keys (to acknowledge the key press). Page 54 Regulatory Statements (cont'd) Industrie Canada AVIS: l'etiquette d'Industrie Canada identifie le materiel homologue. Macro Key Programming & Usage (cont'd) The keypad beeps to acknowledge your input and displays the command you entered (followed by "F"). Bypassing Protection Zones (cont'd) Quick Bypass If programmed, "Quick Bypass" allows you to easily bypass all open (faulted) zones without having to enter zone numbers individually. Press [*] to continue to the "Start" prompt below. If your home experiences a break-in, security systems with professional monitoring will send emergency signals to monitoring stations that operate 24-7. Arm System Enter code. • Some devices may be automatically turned on or off by the system. At that point, law enforcement officials or the fire department receive an alert from those security professionals. IMPORTANT: If you return and the main burglary sounder is on, DO NOT ENTER, but CONTACT THE POLICE from a nearby safe location. If a fire alarm is manually activated, Keypad & Ext. You've made a wise decision in choosing it, for it represents the latest in security protection technology today. MESSAGE LED INDICATOR: (RED) [FUNCTION] On Voice keypads, enables On Voice keypads, flashes red when the desired voice or volume function. Fire Alarm System (cont'd) THIS SECTION APPLIES ONLY TO RESIDENTIAL SYSTEMS Emergency Evacuation Establish and regularly practice a plan of escape in the event of fire. Security Codes & Authority Levels About Security Codes Your installer assigned a master code that is used to perform all system functions. Testing the System About Testing the System Using the Test mode allows each protection point to be checked for proper operation. Page 9 About The Keypads (cont'd) ARMED ARMED AWAY STAY AWAY STAY READY READY TEST BYPASS TEST BYPASS INSTANT CODE CHIME INSTANT CODE CHIME READY READY Standard Fixed-Word Display Keypad Standard Alpha Display Keypad ARMED AWAY STAY RECORDED VOLUME PLAY READY TEST BYPASS MESSAGE INSTANT... Date and Time Viewing the Current Date and Time The master users can view the system time and date setting on an alpha keypad. # This key can be used for "Quick voice keypads, microphone Arming" of the system without use of a Message Center recordings. This feature is useful if, for example, you routinely leave certain windows open when arming at night. Cette etiquette certifie que le materiel est conforme aux normes de protection, d'exploitation et de securite des reseaux de telecommunications, comme le prescrivent les documents concernant les exigences techniques relatives au materiel terminal. Accessing Other Partitions About Accessing Partitions (GOTO Command and Multi-Partition Arming) Each keypad is assigned a default partition for display purposes, and will show only that partition's information. Regulatory Statements and Warnings WARNING: This is a Class A product. 4. Paging Feature About Automatic Paging Your system may be set up to automatically send messages to up to four pagers as certain conditions occur in your system. Red and green lights on the keyswitch plate indicate the status of your system as follows: Green Light: Lights when the system is disarmed and ready to be armed (no open zones). Arming the System (cont'd) Arming Commands Before arming, close all perimeter doors and windows and make sure the Ready to Arm message is displayed. Bypassing Protection Zones Using the BYPASS Key Use t his key when you want to arm your system with one or more zones intentionally unprotected. About The Keypads General Information Your keypads allow you to control all system functions and feature the following: • A telephone style (digital) keypad • Liquid Crystal Displays (LCD) that show the nature and location of all occurrences • Built-in sounder that sounds during alarms and troubles. Panic Keys Using Panic Keys Your system may have been programmed to use special keys to manually activate emergency (panic) functions as follows: This Function Sends This Signal* With This Sounding... Manually 1. security code (if programmed). Fire Alarm System THIS SECTION APPLIES ONLY TO RESIDENTIAL SYSTEMS General Information About Manual Paging Your system may be set up so you can manually send a message to up to four pagers. standard alarms like an FBI alarm system or Paradox alarm system, for example. What About Security Cameras? Security cameras are optimal for those who are living in smaller homes or apartments. Page 44 Trouble Conditions (cont'd) Other Trouble AC LOSS The system is operating on battery power Displays (or NO AC) only due to an AC power failure. Maintaining Your System Taking Care of The components of your security system are designed to be as Your System maintenance-free as possible. 2: NIGHT-STAY Zones Zones: Quick Arm Quick Bypass Automatic Paging users: Keyswitch Arming Arm AWAY: steady flash (circle type of LED lighting) Arm STAY... When Chime mode is activated: • Three tones sound at the keypad whenever a perimeter door or window is opened. Under most circumstances, these units will connect to your home's WIFI. In doing so, it allows you to see what's happening in your home or on your property from your phone or tablet while you're away. Therefore, before moving in, it's essential you have a reliable security system picked out. Should You Have Professional Monitoring? Selecting a home security system with professional monitoring is optimal. Testing should be conducted weekly to ensure proper operation. ONE YEAR LIMITED WARRANTY Honeywell International Inc., acting through its Security & Custom Electronics business ("Seller"), 165 Eileen Way, Sysoset, New York 11791, warrants its security equipment (the "product") to be free from defects in materials and workmanship for one year from date of original purchase, under normal use and service. zone number 95 will be displayed. • The following events can be programmed by your installer to be sent to the pagers: 1... • Events are displayed in chronological order, from most recent to oldest. The keypad beeps and displays the keystrokes entered so far. • You may be able to override automatically controlled devices using the commands described below. Other Trouble COMM. Alpha Display: + [#] BYPASS... Keyswitch Using the Keyswitch Your system may be equipped with a keyswitch for use when arming and disarming. Chime Mode Using the Chime Mode CHIME mode alerts you to the opening of a perimeter door or window while the system is disarmed. Press arming key desired: Arms system in mode selected, quickly Quick Arm (AWAY, STAY, MAXIMUM, INSTANT) Summary of Audible/Visual Notifications Fixed-Word Display Keypads SOUND CAUSE DISPLAY LOUD, FIRE ALARM FIRE is displayed; zone number of zone in INTERRUPTED * alarm is displayed. A display of "CHECK" and one or more zone numbers indicates that a problem exists with the displayed zone(s) and requires your attention. Page 40 Event Logging Procedures (cont'd) Code Definition Alarm, Expansion Module Code Definition ECP Module cover tamper Disarmed, Armed AWAY, Silent Burglary Armed MAXIMUM Alarm, 24-Hour Auxiliary/Monitor Schedule Arm/Disarm AWAY zone Cancel by User Carbon Monoxide Remote Arm/Disarm AC Power (Downloading) Low System Battery/Battery Test Fail Quick Arm AWAY System Reset (Log only) Keyswitch Arm/Disarm AWAY... If you return after an alarm has occurred and the main sounder has shut itself off, the keypad will beep rapidly upon your entering, indicating that an alarm has occurred during your absence. "common zone". System Features Log (cont'd) User Setup The following chart will help keep track of system users. GENERAL INFORMATION: Insured's Name and Address: Insurance Company: Policy No.: VISTA-21IP / VISTA-21IP5IA Other (circle the appropriate model number) Type of Alarm: Burglary Fire... 6. 5. (AWAY, STAY, NIGHT-STAY, MAXIMUM, INSTANT) Press #. Disarming and Silencing Alarms Using the [OFF] key The OFF key is used to disarm the system, silence alarm and trouble sounds, and clear alarm memories. • Zone numbers are displayed at the keypad when an alarm or trouble condition occurs on a sensor. Page 47 Fire Alarm System (cont'd) THIS SECTION APPLIES ONLY TO RESIDENTIAL SYSTEMS Manually 1. security code (if programmed). Fire Alarm System THIS SECTION APPLIES ONLY TO RESIDENTIAL SYSTEMS General Information About Manual Paging Your system may be set up so you can manually send a message to up to four pagers. BURGULARY DETECTING DEVICE LOCATIONS: Front Door Basement Door Rear Door All Exterior Doors Floor Windows All windows nterior locations All Accessible Openings, Including Skylights, Air Conditioners and Vents G. Using Device Commands About Device Commands Your system may be set up so that it can control certain lights or other devices. Page 13 Functions of the Keypads (cont'd) 15. 0 = arm all... • The Event Log holds up to 100 events. LIMITATIONS OF THIS SYSTEM WARNING! THE LIMITATIONS OF THIS ALARM SYSTEM While this system is an advanced design security system, it does not offer guaranteed protection against burglary or other emergency. PHONE TEST BYPASS STAY: Perimeter burglary zones, such as NOT READY STAY ALARM CHIME BAT protected windows and doors, are FIRE CHECK INSTANT... This system provides: • Three forms of protection: burglary, fire* and emergency *... 7 About The Keypads8 General Information..... If a fire alarm is manually activated, zone number 95 will be Keypad & Ext. Page 62 --- Notes Notes Notes --- Notes - 62 Use of any such unauthorized device may cause damage or compromise the performance of your security system and affect the validity of your Honeywell limited warranty. If AC power cannot be restored and a "low system battery"... Seller's obligation is limited to repairing or replacing, at its option, free of charge for parts, labor, or transportation, any product proven to be defective in materials or workmanship under normal use and service. System Overview Introduction Congratulations on your ownership of a Honeywell Security System. Page 4 Table of Contents (continued) Macro Key Programming & Usage27 About Macro Keys System Features Log (cont'd) Schedules*: master code + [#] + [6] [4] Event Device No. Group No. Partition Start Stop Repeat Random Time/Time/ (see list below) for "01" events; for "02" events; for "04-06" events: (1-4) (yes/no) enter 1, 2, or 3 (see device list below) Events... CC0/geral/Pkx/bay Selecting the best burglar alarm system is challenging for some, particularly if you're unsure if you should pair it with technology or if you don't know anything about programming an alarm system. Entry/Exit Delays (cont'd) Exit Alarms Exit Error Conditions Whenever you arm the system, the exit delay begins. 5 Using the Voice Message Center If an entry/exit door or interior zone is faulted before exit delay expires and remains faulted (e.g., exit door left open), the system sounds an alarm and starts the entry delay timer. OWNER'S INSURANCE PREMIUM CREDIT REQUEST This form should be completed and forwarded to your homeowner's insurance carrier for possible premium credit. Press arming key desired: Arms system in mode selected. 27 Example of Macro Programming28 Using a Programmed Macro Key28 Using Device Commands29 Paging Feature30 About Automatic Paging Each schedule causes a defined event to start and stop (when appropriate) at a specified time. • If the user is authorized, a keypad in one partition can be used to perform system functions in the other partition by using the GOTO command. Alpha Display: + [#] + [6] [3] ****DISARMED****. Enter the next command, followed by press/holding the "D" key for at least two seconds. Should you become aware of a fire emergency before your smoke or heat detectors sense the problem, go to your nearest keypad and Initiating manually initiate an alarm by pressing the panic key assigned for a Fire Alarm FIRE emergency for 2 seconds (see below). To silence the beeping for these conditions, press any key. However, these systems are user-friendly and have come a long way since the standard alarm systems requiring keypads and codes. About The Keypads (Cont'd) FIXED-WORD DISPLAY KEYPAD AWAY: All burglary zones, interior and AWAY NIGHT NO AC perimeter, are armed. Other users can view the time/date if a function key has been programmed to do so. Event Logging Procedures About Event Logging The system records various events in a history log, which can be viewed by the master user on an Alpha Display keypad. FAILURE Indicates that a failure has occurred in Displays (or FC) the telephone communication portion of your system. Trouble Conditions "Check" and he word CHECK on the keypad's display, accompanied by a "Battery" Displays "beeping" at the keypad, indicates a trouble condition in the system. Position your detector or your interior and/or exterior sounders so that they can be heard by all occupants. MORE FROM QUESTIONSANSWERED.NET Page 1 ADECO VISTA SERIES VISTA-21IP / VISTA-21IP5IA Security Systems User Guide K14490 11/07 Rev. • Your installer programs the paging function key and the pager phone numbers. SYSTEM LO BAT Indicates that a low system battery (or BAT with no... Note that while it is not necessary to use a security code for arming (by using the Quick Arm method described previously), a security code must always be used when manually disarming the system. RADIO FREQUENCY EMISSIONS Federal Communications Commission (FCC) Part 15 This device complies with part 15 of the FCC rules. However, to make sure that your system is in reliable working condition, do the following: 1. Page 12 Functions of the Keypads (cont'd) [PLAY] On Voice keypads, used in NOTE: The functions printed directly on the keys indicate their primary purpose; conjunction with the FUNCTION and functions printed under some of the keys (shown VOICE keys to play the recorded in brackets under the respective key), indicate message. A. Typically, a motion sensor alarm system is also built-in that will trigger notifications to your device. In the event of an emergency, the strategically located smoke and heat detectors will sound their alarms and automatically send signals to your system, triggering a loud, interrupted pulsed sound" from the Keypad(s) and any external sounders. Otherwise, this prompt is skipped. To program a user attribute: Enter system/partition* master code + [8] + user no. SMOKE DETECTOR LOCATIONS Furnace Room Kitchen Bedrooms Attic Basement Living Room Dining Room Hall F. In addition, you can assign up to 47 different security codes for use by other users. 8 Fixed-Word Display Keypad10 Functions of the Keypads11 Entry/Exit Delays Copies should be distributed to the partition 1 and partition 2 (if applicable) masters for their records. System Features Log Features Comments Exit Delay Part. Page 38 Scheduling (cont'd) 5. • Functions include: activate a panic alarm, arm the system, provide step arming, switch lights on/off, send a message to a pager, display Time/Date, and start a programmed Macro sequence. Macro Key Programming & Usage About Macro Keys The "A", "B", "C" or "D" keys can be used to automatically activate a series of commands up to 16 keystrokes, if programmed for this function. • The perimeter sensors are armed, but interior sensors are left disarmed. In a domestic environment, this product may cause radio interference in which case the user may be required to take adequate measures. Functions of the Keypads ARMED STAY AWAY RECORD VOLUME PLAY READY TEST BYPASS MESSAGE INSTANT CODE CHIME READY STATUS VOICE FUNCTION Voice-capable 2-line Alpha keypad (shown with flip-down front door removed) IMPORTANT! • Match the numerical callouts in the above graphic with the corresponding number on the following pages for a description of usage. There are two entry delays (if programmed). • Only the System Master and Partition Master can assign security codes to users. The system must be disarmed first. System Overview (cont'd) Function Keys • The "A", "B", "C", and "D" keys can be programmed to perform various functions. Checking For Open Zones Using the [* * * *] Key to Display and Announce System Status efore arming your system, all protected doors, windows and other protection zones must be closed or bypassed; otherwise the keypad will display a "Not Ready" message. Accessing Other Partitions (cont'd) Common Zone Operation Your system may have been set up to use a common zone, which is Ask your installer if an area shared by users of both partitions, such as a foyer or lobby. In doing so, you'll still need a control center for the unit to operate effectively. • Schedules can be set to automatically repeat at various intervals. User User's Part(s). (Continued) If any zone lights are out on the premises, check circuit breakers and fuses and reset or replace as necessary. Mode Press these keys... Keypad Confirms By... • three beeps † security code + STAY STAY *... MIC 11. • The keypad sounds a single beep about every 30 seconds as a reminder that the system is in the Test mode. The battery life on these units features optimal reliability, as well. These keystrokes, as a group, are called "macros" and are stored in the system's memory. Security Codes & Authority Levels (cont'd) How to Assign Security Codes and Attributes The following lists the various command strings for adding security codes and attributes Refer to the User Setup chart at the back of this manual for factory defaults of user attributes and to keep a record of user programming. If you disarm the system before the entry delay ends, the alarm sound stops and the message "ALARM CANCELED "... Fire Alarm System (cont'd) THIS SECTION APPLIES ONLY TO RESIDENTIAL SYSTEMS National Fire Protection Association Recommendations on Smoke Detectors With regard to the number and placement of smoke/heat detectors, we subscribe to the recommendations contained in the National Fire Protection Association's National Fire Alarm Code (NFPA 72) noted below. LOUD, BURGULARY/AUDIBLE ALARM is displayed. Use of professional monitoring also requires much less troubleshooting and hassle, as well as the need for things like a Honeywell alarm system manual, for example. Do You Want to Work Wirelessly? If you would rather not use a control panel that attaches to your wall, which is standard in most homes like a Simplex alarm system or Ademco alarm system, for example, would you rather use a wireless system? Any alarm system, whether commercial or residential, is subject to compromise or failure to warn for a variety of reasons. They're less expensive than a full security system, like Vector alarm systems or a Network alarm system, for example, but they still perform well when you would like home protection. For event number "02," enter the access group GROUP NUMBER number. System Features Log (cont'd) User Setup (cont'd) Enter system/partition master code + [8] + user no. However, if your home isn't safe, you're not protecting your most valuable assets. 2. The following steps are recommended by the National Fire Protection Association: 1. Accessing Other Partitions (cont'd) Using the GoTo Command If the user is authorized, a keypad in one partition can be used to perform system functions in the other partition by using the GOTO command. Arming the System STAY Mode: Arms Perimeter Only, Entry Delay On • Used when you want to arm the system with persons staying inside (or if you have pets that are moving throughout the premises). Vent Zones: Your system may have certain windows set as "vent" zones, which are automatically bypassed if left open when arming the system (you do not need to manually bypass them). 1: Part. Summary of AV Notifications (cont'd) Alpha Display Keypads SOUND CAUSE DISPLAY LOUD, FIRE ALARM FIRE is displayed; descriptor of zone in alarm is INTERRUPTED" displayed. Test your system weekly. With such a broad selection form with to choose, it can quickly become overwhelming. View faulted zones when system not ready. When you purchase devices that have been manufactured or approved by Honeywell, you acquire the assurance that these devices have been thoroughly tested to ensure optimum performance when used with your Honeywell security system. Arming the System (cont'd) Single Button Arming The "A", "B", "C", and/or "D" keys on your keypad may have been programmed for single-button arming. Page 60 OWNER'S INSURANCE PREMIUM CREDIT REQUEST (cont.) E. displayed. Table of Contents System Overview5 Introduction Security Auth. • You must use an Alpha keypad to access another partition. 30 About Manual Paging..... CALL FOR SERVICE. The first is for your primary entrance and the second can be used for a secondary entrance, where a longer delay is required to walk to the keypad to disarm the system. 1. Quick Guide to Basic System Functions FUNCTION PROCEDURE COMMENTS Check Zones Press READY key. Scheduling About Scheduling The system provides to 16 end-user schedules (programmable by master/installer only), which can control various types of events. Page 6 System Overview (cont'd) Zones and Partitions • The system sensing devices have been assigned to various "zones," which are specific areas of protection (e.g., front door, kitchen window, etc.). Le Ministère n'assume toutefois pas que le materiel fonctionnera a... 16. Access RF Zone Pager Name (system master only) Code Level Group Number on/off [#][3] + part(s) + [#]... 2: Entry Delay 1 Part. • Pressing the paging keys sends the message to the selected pager. Entry/Exit Delays Entry Delay Entry Delays give you time to disarm the system when you re-enter through the designated entrance door.



